Α

TITLE:

NUTRIENT COMPOSITION

PUBN-DATE:

October 4, 1994

INVENTOR-INFORMATION:

NAME

YAMAUCHI, MIKIO

ASSIGNEE-INFORMATION:

NAME

COUNTRY

YAMAUCHI MIKIO

N/A

APPL-NO: JP05101761

APPL-DATE:

March 22, 1993

INT-CL (IPC): A23K001/16, A23K001/16, A23K001/18, A23K001/18

US-CL-CURRENT: 426/2

## ABSTRACT:

PURPOSE: To obtain a nutrient composition effective for remarkably increasing the accumulation concentration of carotenoid in the biotissue of sea bream, etc., and contributing to the improvement of the production efficiency and the quality of product by compounding L-ascorbic acid glucoside together with carotenoids.

CONSTITUTION: The composition for feeding to young yellowtail, sea bream, salmon, trout, sweetfish, shrimp, crab, carp, goldfish and chicken is produced by compounding (A) carotenoids selected from astaxanthin, β -carotene, zeaxanthin, lutein, salmoxanthin, tunaxanthin, doradexanthin, halocynthiaxanthin, fucoxanthin, capsanthin, canthaxantin, β -apo-8'-carotenoic acid ethyl ester and their steric isomers with (B) L-ascorbic acid 2-glucoside. The composition is preferably formed in the form

L9 ANSWER 44 OF 46 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER: 1998:481355 CAPLUS

DOCUMENT NUMBER: 129:202308

TITLE: Nutritional properties and significance of vitamin

glycosides

AUTHOR(S): Gregory, Jesse F., III

CORPORATE SOURCE: Food Science and Human Nutrition Department,

University of Florida, Gainesville, FL, 32611-0370,

USA

SOURCE: Annual Review of Nutrition (1998), 18, 277-296

CODEN: ARNTD8; ISSN: 0199-9885

PUBLISHER: Annual Reviews Inc.
DOCUMENT TYPE: Journal; General Review

LANGUAGE: English

REFERENCE COUNT: 52 THERE ARE 52 CITED REFERENCES AVAILABLE FOR

THIS

RECORD. ALL CITATIONS AVAILABLE IN THE RE

## FORMAT

AB A review with refs. Glycosylated forms of pyridoxine, vitamin D, niacin, pantothenate, and riboflavin exist in nature, whereas glycosides of retinol and ascorbic acid are products of in vitro transglycosidation. The .beta.-glucosides of pyridoxine are prevalent in plant-derived foods, contribute to human nutrition as partially available sources of vitamin B6, undergo partial hydrolysis by a novel mammalian cytosolic .beta.-glucosidase, and exert weak antagonistic effects on the utilization of free pyridoxine. Niacin exists in grains in complexed forms with low bioavailability, whereas vitamin D glycosides are toxic components of certain calcinogenic plants of importance for animal health.

Glycosides of pantothenate and riboflavin are minor products of mammalian metab. Glycosylation of **retinol** or other hydrophobic alcs. may facilitate the glycolipid turnover, whereas a stable **ascorbyl glucoside** may have nutritional applications. Glycosylation of vitamins has widely ranging chem. and biol. effects, with great nutritional and metabolic significance.

CCESSION NUMBER: 2001:77949 CAPLUS 134:136463

DOCUMENT NUMBER:

A method and hydrophilic polymer gelling agent for TITLE:

preparation of oil-containing microcapsules

INVENTOR(S): Miyazawa, Kazuyuki; Kaneda, Isamu; Yanaki, Toshio

PATENT ASSIGNEE(S): Shiseido Company Ltd., Japan

SOURCE: Eur. Pat. Appl., 55 pp.

CODEN: EPXXDW

DOCUMENT TYPE:

LANGUAGE:

Patent English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

| PATENT NO.           | KIND   | DATE      | APPLICATION NO.         | DATE            |
|----------------------|--------|-----------|-------------------------|-----------------|
|                      |        |           |                         |                 |
| EP 1072259           | A2     | 20010131  | EP 2000-115072          | 20000727        |
| EP 1072259           | A3     | 20020320  |                         |                 |
| R: AT, BE,           | CH, DE | , DK, ES, | FR, GB, GR, IT, LI, LU, | NL, SE, MC, PT, |
| IE, SI,              | LT, LV | , FI, RO  |                         |                 |
| JP 2001097818        | A2     | 20010410  | JP 2000-89742           | 20000328        |
| JP 2001097819        | A2     | 20010410  | JP 2000-89743           | 20000328        |
| JP 2001096146        | A2     | 20010410  | JP 2000-89744           | 20000328        |
| JP 2001278740        | A2     | 20011010  | JP 2000-89745           | 20000328        |
| US 6391288           | B1     | 20020521  | US 2000-625504          | 20000726        |
| PRIORITY APPLN. INFO | . :    |           | JP 1999-212373 A        | 19990727        |
|                      |        |           | JP 2000-89742 A         | 20000328        |
|                      |        |           | JP 2000-89743 A         | 20000328        |
|                      |        |           | JP 2000-89744 A         | 20000328        |
|                      |        |           | JP 2000-89745 A         | 20000328        |

56-81-5, Glycerin, biological studies 57-11-4, Stearic acid, biological studies 79-81-2, Vitamin A palmitate 107-88-0, 1,3-Butylene glycol IT 110-27-0, Isopropyl myristate 111-01-3, Squalane 122-62-3, Dioctyl 127-82-2, Zinc p-phenolsulfonate 541-02-6, Decamethylcyclopentasiloxane 556-67-2, Octamethylcyclotetrasiloxane 1314-13-2, Zinc oxide, biological studies 1327-41-9, Aluminum 1338-43-8, Sorbitan monooleate 3380-34-5, Triclosan chlorohydrate 7631-86-9, Silica, biological studies 9000-07-1, Carrageenan 9002-18-0, Agar 9016-00-6, Dimethylpolysiloxane 14807-96-6D, Talcum, siliconized 25322-68-3D, Polyethylene oxide, copolymer with Me polysiloxane 31450-14-3, Ethyl .gamma.-linolenate 56451-84-4, Sorbitan

64427-25-4, Benton stearate 70356-09-1 71010-52-1, Gellan gum 72585-97-8, Cetyl isooctanoate 129499-78-1, L-Ascorbic acid 2-glucoside

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(method and hydrophilic polymer gelling agent for prepn. of oil-contg. microcapsules)

## IT 68-26-8, Retinol

RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(method and hydrophilic polymer gelling agent for prepn. of oil-contg. microcapsules)

ANSWER 41 OF 46 USPATFULL on STN

ACCESSION NUMBER: 2000:150323 USPATFULL

TITLE: Ascorbyl sorbates

INVENTOR (S): Streicher, Harald, Ludwigshafen, Germany, Federal

Republic of

von dem Bussche-Hunnefeld, Linda, Lampertheim,

Germany,

Federal Republic of

Westenfelder, Horst, Neustadt, Germany, Federal

Republic of

Wekel, Hans-Ulrich, Ellerstadt, Germany, Federal

Republic of

PATENT ASSIGNEE(S):

BASF Aktiengesellschaft, Ludwigshafen, Germany,

Federal

Republic of (non-U.S. corporation)

NUMBER KIND DATE

PATENT INFORMATION:

-----

APPLICATION INFO.:

US 6143906 20001107 US 1998-178428 19981026 (9)

NUMBER -----

PRIORITY INFORMATION: DE 1997-19750528 19971114

DOCUMENT TYPE:

Utility

FILE SEGMENT:

Granted

PRIMARY EXAMINER:

Trinh, Ba K. LEGAL REPRESENTATIVE: Oblon, Spivak, McClelland, Maier & Neustadt, P.C. NUMBER OF CLAIMS: 8

DATE

EXEMPLARY CLAIM:

L9 ANSWER 27 OF 46 USPATFULL on STN

ACCESSION NUMBER: 2002:224254 USPATFULL

TITLE: Sunscreen compositions containing a dibenzoylmethane

derivative

INVENTOR(S): Cole, Curtis, Ringoes, NJ, United States

Natter, Florence, Hillsborough, NJ, United States

PATENT ASSIGNEE(S): Johnson & Johnson Consumer Companies, Inc., Skillman,

NJ, United States (U.S. corporation)

DOCUMENT TYPE: Utility FILE SEGMENT: GRANTED

PRIMARY EXAMINER: Dodson, Shelley A. LEGAL REPRESENTATIVE: Harriman, Erin M.

NUMBER OF CLAIMS: 21 EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 0 Drawing Figure(s); 0 Drawing Page(s)

LINE COUNT: 485

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

 ${\tt DETD}$  . . antifungal agents such a miconazole, ketoconazole, and elubiol;

vitamins such as ascorbic acid; tocopherols and tocotrienols such as tocopheryl acetate; retinoids such retinol,

retinal, retinyl palmitate, retinyl acetate,
and retinoic acid; hormones such as estrogens and

dihydroxyandrostene dione; 2-dimethylaminoethanol; lipoic acid; amino

acids such a proline and tyrosine; lactobionic acid; . . .

DETD Examples of derivatives of ascorbic acid include, but are not limited to, ascorbyl palmitate, magnesium ascorbyl phosphate, sodium

ascorbyl phosphate, zinc ascorbyl phosphate,

ascorbyl glucoside, sodium ascorbate, and ascorbyl

polypeptide. An example of a derivative of hydroquinone includes, but

is

not limited to, arbutin.

CLM What is claimed is:

. from alkanolamines, hydroxy acids, benzoyl peroxide, sulfur resorcinol, D-panthenol, hydroquinone, anti-inflammatory agents, skin lightening agents, antimicrobial agents, antifungal agents, vitamins, retinoids, hormones, 2-dimethylaminoethanol, lipoic acid, amino acids, lactobionic acid, self-tanning agents, dimethyl aminoethanol, acetyl-coenzyme A, niacin, riboflavin, thiamin, ribose, electron transporters,. . .

L9 ANSWER 28 OF 46 USPATFULL on STN

ACCESSION NUMBER: 2002:201667 USPATFULL

TITLE: Cosmetic compositions containing creatine, carnitine,

and/or pyruvic acid

INVENTOR(S): Shapiro, Stanley S., Livingston, NJ, United States

Martin, Katharine M., Ringoes, NJ, United States Shaya, Steven A., Highlands, NJ, United States Kaminski, Claudia K., Milford, NJ, United States

PATENT ASSIGNEE(S): Johnson & Johnson Consumer Companies, Inc., Skillman,

NJ, United States (U.S. corporation)

NUMBER KIND DATE

PATENT INFORMATION:

APPLICATION INFO.:

DOCUMENT TYPE: FILE SEGMENT:

a t with the management

PRIMARY EXAMINER: ASSISTANT EXAMIN

US 6432424 B1 20020813 US 2000-606491 20000629

Utility GRANTED

Moezie, Minna

20000629 (9)

ANSWER 15 OF 46 USPATFULL on STN

2003:67567 USPATFULL ACCESSION NUMBER:

Oil-in-water emulsion containing tretinoin TITLE: Marvel, John, East Brunswick, NJ, United States INVENTOR(S):

PATENT ASSIGNEE(S): Ortho-McNeil Pharmaceutical, Inc., Raritan, NJ, United

States (U.S. corporation)

NUMBER KIND DATE

FALENT INFORMATION: US 6531141 B1 20030311 APPLICATION INFO.: US 2000-521445 DOCUMENT TYPE: 20000307 (9)

FILE SEGMENT: GRANTED

PRIMARY EXAMINER: Page, Thurman K. ASSISTANT EXAMINER: Evans, Charesse LEGAL REPRESENTATIVE: McGowan, William E.

NUMBER OF CLAIMS: 26 EXEMPLARY CLAIM:

NUMBER OF DRAWINGS: 0 Drawing Figure(s); 0 Drawing Page(s)

LINE COUNT: 465

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Tretinoin, or all-trans-retinoic acid, is a naturally

occurring retinoid and is the major metabolite of Vitamin A.

Tretinoin modulates the expression and function of numerous genes by

binding to intracellular receptors, termed retinoic acid

receptors, both in the cytosol and nucleus. The action of tretinoin at

the receptor level accounts for its wide-ranging.

SUMM . . . oil-in-water emulsion cream, have been marketed in the United States for the treatment of acne vulgaris under the brand name

Retin-A.RTM. since 1971.

SUMM Examples of derivatives of ascorbic acid include, but are not limited

to, ascorbyl palmitate, magnesium ascorbyl phosphate, sodium

ascorbyl phosphate, zinc ascorbyl phosphate, ascorbyl glucoside, sodium ascorbate, and a

R 43 OF 46 USPATFULL on STN

ACCESSION NUMBER: 2000:15643 USPATFULL

TITLE: Method of administering vitamin E to animals and

compositions containing tocopheryl phosphates and

salts

thereof for animals

INVENTOR(S): Ito, Shinobu, Tokyo, Japan

Ogata, Eiji, Tokyo, Japan

PATENT ASSIGNEE(S): Showa Denko Kabushiki Kaisha, Tokyo, Japan (non-U.S.

corporation)

NUMBER KIND DATE -----

US 6022867 20000208 US 1997-980371 19971128 (8) PATENT INFORMATION:

APPLICATION INFO.:

NUMBER DATE -----

PRIORITY INFORMATION:

JP 1996-332931 19961127 US 1997-47102P 19970519 (60)

DOCUMENT TYPE: Utility Granted FILE SEGMENT:

PRIMARY EXAMINER: Henley, Jr., Raymond

LEGAL REPRESENTATIVE: Sughrue, Mion, Zinn Macpeak & Seas, PLLC

10 NUMBER OF CLAIMS: EXEMPLARY CLAIM: 1 LINE COUNT: 951

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

. . . from magnesium L-ascorbate, L-ascorbic acid-2-phosphoric acid

and a salt thereof such as a magnesium, sodium, calcium or aluminum

salt, and L-ascorbic acid-2-glucoside and a salt

thereof. Examples of the carotene and a derivative thereof include P

carotene, .alpha. carotene, retinoin acid, retinol,

astaxanthin, canthaxanthin, zeaxanthin, lutein and an isomer thereof.

ANSWER 41 OF 46 USPATFULL on STN

ACCESSION NUMBER: 2000:150323 USPATFULL

TITLE:

Ascorbyl sorbates

INVENTOR(S):

Streicher, Harald, Ludwigshafen, Germany, Federal

Republic of

von dem Bussche-Hunnefeld, Linda, Lampertheim,

Germany,

Federal Republic of

Westenfelder, Horst, Neustadt, Germany, Federal

Republic of

Wekel, Hans-Ulrich, Ellerstadt, Germany, Federal

Republic of

PATENT ASSIGNEE(S):

Federal

BASF Aktiengesellschaft, Ludwigshafen, Germany,

Republic of (non-U.S. corporation)

NUMBER KIND DATE -----US 6143906 20001107

PATENT INFORMATION: APPLICATION INFO.:

US 1998-178428

19981026 (9)

NUMBER DATE -----

DE 1997-19750528 19971114

PRIORITY INFORMATION: DOCUMENT TYPE:

Utility

FILE SEGMENT:

Granted

PRIMARY EXAMINER:

Trinh, Ba K.

LEGAL REPRESENTATIVE: Oblon, Spivak, McClelland, Maier & Neustadt, P.C.

NUMBER OF CLAIMS: EXEMPLARY CLAIM:

1

LINE COUNT:

501

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

SUMM . . . which have a higher stability in formulations, but are still

able to release ascorbic acid. An example of this is L-ascorbic acid 2-O-D-glucoside which, however, is often not lipophilic

enough for use in cosmetics.

SUMM Cosmetic active compounds are, for example, panthenol, bisabolol,

.alpha.tocopherol, .alpha.-tocopherol acetate, Aloe vera, algal

extract,

hyaluronic acid, retinol and retinyl esters,

phytantriol, panthenyl ethyl ether, ferulic acid.

DETD . . . 3.00 caprylic acid/caprate triglyceride

0.60 magnesium stearate

```
ANSWER 32 OF 46 USPATFULL on STN
                    2002:29128 USPATFULL
ACCESSION NUMBER:
TITLE:
                      Cosmetic and pharmaceutical preparations comprising
                       ascorbic acid derivatives
INVENTOR(S):
                       Streicher, Harald, Ludwigshafen, GERMANY, FEDERAL
                       REPUBLIC OF
                       Ostersehlt, Bernd, Maxdorf, GERMANY, FEDERAL REPUBLIC
                       Westenfelder, Horst, Neustadt, GERMANY, FEDERAL
                       REPUBLIC OF
PATENT ASSIGNEE(S):
                       BASF Aktiengesellschaft, Ludwigshafen, GERMANY,
FEDERAL
                       REPUBLIC OF (non-U.S. corporation)
                                       KIND
                           NUMBER
                                                DATE
                       US 6346254 B1 20020212
US 1998-186385 19981105
PATENT INFORMATION:
                                             19981105 (9)
APPLICATION INFO.:
                             NUMBER DATE
                       -----
PRIORITY INFORMATION: DE 1997-19750526 19971114
DOCUMENT TYPE:
                      Utility
FILE SEGMENT:
                      GRANTED
PRIMARY EXAMINER: Clardy, S. Mark
ASSISTANT EXAMINER: Williamson, Michael A.
LEGAL REPRESENTATIVE: Keil & Weinkauf
NUMBER OF CLAIMS:
EXEMPLARY CLAIM:
NUMBER OF DRAWINGS: 0 Drawing Figure(s); 0 Drawing Page(s) LINE COUNT: 477
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
      . . . often necessary to employ stabilized derivatives of ascorbic
      acid. Examples of these are sodium L-ascorbate monophosphate (JP
      07082127, JP 05331020), L-ascorbic acid 2-O-D-
      glucoside (T. Sakamoto et al.; 19th IFSCC Congress, Sydney,
      1996, Vol. 2, Paper No. 14) and 5,6-isopropylidene-L-ascorbic acid
      2-phosphate (JP 08269074).
SUMM
      Cosmetic active compounds are, for example, panthenol, bisabolol,
       .alpha.-tocopherol, .alpha.-tocopheryl acetate, Aloe vera, algal
      extract, hyaluronic acid, retinol and retinyl
      esters, phytantriol, panthenyl ethyl ether, ferulic acid.
DETD
       . . PEG-7-hydrogenated castor oil
5.00 Isopropyl palmitate
10.00 Mineral oil
3.00 Caprylic acid/caprate triglyceride
0.60 Magnesium stearate
1.00 6-O-Palmitoyl-2-O-(isopropyloxycarbonyl)-L-ascorbic acid
1.50 Tocopheryl acetate
2.00 PEG-45/dodecyl glycol copolymer
0.05 Tocopherol
0.20 Retinol
0.30 Glycerol
0.70 Magnesium sulfate
0.25 Methylparaben
0.15 Propylparaben
0.20 Sodium ascorbyl monophosphate
0.10 .alpha.-Tocopherol
```

0.10 Ascorbyl palmitate

```
0.15 Fragrance
to 100 Water
DETD
                PEG-7-hydrogenated castor oil
5.00 Isopropyl palmitate
10.00 Mineral oil
3.00 Caprylic acid/caprate triglyceride
0.60 Magnesium stearate
1.00 2,5,6-Tri-O-(isopropyloxycarbonyl)-L-ascorbic acid
1.50 Tocopheryl acetate
2.00 PEG-45/dodecyl glycol copolymer
0.05 Tocopherol
0.20 Retinol
0.30 Glycerol
0.70 Magnesium sulfate
0.25 Methylparaben
0.15 Propylparaben
0.20 Sodium ascorbyl monophosphate
0.10 .alpha.-Tocopherol
0.10 Ascorbyl palmitate
0.15 Fragrance
to 100 Water
DETD
2.00 Ceteareth/6
2.00 Ceteareth/25
10.00 Mineral oil
3.00 Caprylic acid/caprate triglyceride
3.00 Isostearic acid
3.00 6-O-Palmitoyl-2-O-(isopropyloxycarbonyl)-L-ascorbic acid
1.50 Tocopheryl acetate
2.00 D-Panthenol USP
0.05 Tocopherol
0.20 Retinol
0.30 Glycerol
0.15 Dibromocyanobutane
0.20 Sodium ascorbyl monophosphate
0.10 .alpha.-Tocopherol
0.10 Ascorbyl palmitate
0.15 Fragrance
to 100 Water
DETD
2.00 Ceteareth/6
2.00 Ceteareth/25
10.00 Mineral oil
3.00 Caprylic acid/caprate triglyceride
3.00 Isostearic acid
3.00 2-0-(isopropyloxycarbonyl)-L-ascorbic acid
1.50 Tocopheryl acetate
2.00 D-Panthenol USP
0.05 Tocopherol
0.20 Retinol
0.30 Glycerol
0.15 Dibromocyanobutane
0.20 Sodium ascorbyl monophosphate
0.10 .alpha.-Tocopherol
```

```
9 OF 46 USPATFULL on STN
ACCESSION NUMBER: 2002:115771 USPATFULL
TITLE:
                       Microcapsule and method of making the same
INVENTOR(S):
                       Miyazawa, Kazuyuki, Yokohama, JAPAN
                       Kaneda, Isamu, Yokohama, JAPAN
                       Yanaki, Toshio, Yokohama, JAPAN
                       Shiseido Co., Ltd., Tokyo, JAPAN (non-U.S.
PATENT ASSIGNEE(S):
corporation)
                          NUMBER KIND DATE
                       -----
                       US 6391288 B1 20020521
US 2000-625504 20000726
PATENT INFORMATION:
APPLICATION INFO.:
                                             20000726 (9)
                             NUMBER
                                          DATE
                       -----
                       JP 1999-212373
PRIORITY INFORMATION:
                                         19990727
                       JP 2000-89742
                                         20000328
                       JP 2000-89743
                                        20000328
                       JP 2000-89744
                                       20000328
                       JP 2000-89745
                                       20000328
DOCUMENT TYPE:
                       Utility
FILE SEGMENT:
                       GRANTED
PRIMARY EXAMINER:
                       Dees, Jose' G.
ASSISTANT EXAMINER:
                      Lamm, Marina
LEGAL REPRESENTATIVE: Chao, Fei-Fei, Venable
NUMBER OF CLAIMS:
                       32
EXEMPLARY CLAIM:
                       1
NUMBER OF DRAWINGS:
                       1 Drawing Figure(s); 1 Drawing Page(s)
LINE COUNT:
                      1956
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
      . . . contained in encapsulated oil droplets, the stability of the
      drug can be improved. Examples thereof include easy-to-oxidize drugs
      such as retinol and vitamin E; and easy-to-crystallize drugs
      such as cyclosporin, vitamin C palmitate, and 4-tert-butyl-4'-
      methoxybenzoyl methane.
DETD
 Inner oil phase:
  Retinol 5 wt %
 Dioctyl sebacate 15
 Water phase:
 1,3-Butylene glycol 10
 POE(60) hardened caster oil 1
 Agar(S-5) 1.5
   Ascorbic acid 2-glucoside 5
 Ion-exchanged water 12.5
 Outer oil phase:
 POE methylpolysiloxane copolymer 1
 Octamethylcyclotetrasiloxane 49
      A solid lipstick was prepared by a normal method. In normal lipsticks,
      easy-to-oxidize drugs such as retinol have been hard to be
      compounded due to their formulations, and water-soluble humectants such
      as ascorbic acid derivatives and the.
       . . . none exist
DETD
*It was prepared according to the microcapsule of Compounding Example I-2 with
      vitamin E acetate in the place of retinol.
      . . . 1
 (7) Agar(AX-100) 1
```

```
(8) Gellan gum 0.3
 (9) Citric acid 0.1
 (19) Sodium citrate 0.1
 (11) Ascorbic acid 2-glucoside 2.5
 (12) Ion-exchanged water 24.0
 (13) Antioxidant Q.S.
 Outer oil phase:
 (14) POE methylpolysiloxane copolymer 1
 (15)Octadecylcyclotetrasiloxane 49
DETD
 Inner oil phase:
   Retinol 5 wt %
 Dioctyl sebacate 15
 Water phase:
 1,3-Butylene glycol 10
 POE(60) hardened caster oil 1
 Agar(M-7) 1.5
  Ascorbic acid 2-glucoside 5
 Ion-exchanged water 12.5
 Outer oil phase:
 POE methylpolysiloxane copolymer 1
Octamethylcyclotetrasiloxane 49
       In normal lipsticks, easy-to-oxidize drugs such as retinol
       have been hard to be compounded due to their formulations, and also
       water-soluble humectants such as ascorbic acid derivatives and. .
DETD
       . . none exist
*It was prepared according to the microcapsule of Compounding Example II-2
woth
       vitamin E acetate in the place of retinol.
DETD
 (7) Agar(T-1) 1
 (8) Gellan gum 0.3
 (9) Citric acid Q.S.
 (10) Sodium chloride 0.1
 (11) Ascorbic acid 2-glucoside 2.5
 (12) Ion-exchanged water Balance
 (13) Antioxidant Q.S.
```